

## G8-Series Employee Time Clock



G8-PROX

G8-BIO

G8-MAG

The BundyPlus G8-Series employ time clock sets a new standard in performance, connectivity and simple user interface. There should be no excuses for not having accurate employee timesheets.

This is the perfect solution for today's small, medium and large business T&A, access control and job costing requirements. The G8-Series accurately time stamps all employee activities 24-7 with or without network connectivity so you're always in control.

- Made in Australia so you know it's built to last
- Durable 4.3" colour touchscreen resistant to workplace grease and grime
- Biometric, proximity and swipe card models available
- Secure Ethernet and WiFi connectivity to your existing network
- Onboard PoE ready (power over ethernet) means no need for local AC/DC power supply and reduced installation cost.
- Combines over 20 years of hardware/software experience

The BundyPlus™ G8-Series is simply one of the most flexible, easy to install and cost-effective electronic time clocks on the market today.

## Key Features

4.3" TFT colour resistive touchscreen  
240MHz ARM MPU  
Ethernet (PoE), Wi-Fi or 4G\*  
Biometric, Proximity or Magstripe card  
Job costing  
Access control  
Industry standard communications  
Access control, meal or shift bells\*  
Smart UPS backup battery\*  
T&A Software Compatible  
5 hour operational backup (UPS)\*

## Software

### Card Configuration

Keypad: Enable or Disable  
Proximity card type selection  
Remove leading zeros: Enable or Disable  
Validation: Enable, Disable  
Card direction (IN/OUT): Enable or Disable

### Relay events

Configurable relay events (shift/meal breaks)

### Job Costing

Prompt: Disabled, IN, OUT, ANY & manual entry.  
Validation: Enable or Disable  
Fixed costing: Enable or Disable

## Hardware

### Network Interfaces

10/100Base-T Ethernet  
802.11b Wi-Fi WLAN  
3/4G Mobile\*  
Host USB (External reader)

### Display & Indicators

4.3" TFT colour resistive touchscreen  
87dB speaker

## Data Entry

Direct keypad  
Biometric (Fingerprint)\*  
Track II magnetic swipe card\*  
Proximity card (HID 26bit, HID 32bit, HID36bit, HID 37bit, TCOM 26bit, ASR-27bit and custom formats)

## Relay Output

1x 24V AC/DC 1AMP MAX!

## Installation

Hinged front cover with optional security key access cable duct entry top, bottom & rear

## Warranty

12-months (Return to base)

## Physical & Environmental

### Power Voltage

12VDC 1AMP (Plug pack supplied)

### Dimensions

130(W) x 218\*(H) x 54(D) mm  
(\*not including 4G antenna if fitted)

### Operating Temperature

0°C - 50°C

### Storage Temperature

-20°C - 50°C

### Operating Humidity

5% - 95% non-condensing

### Weight

2.2kgs

### MTBF

194,238 hours @ 25°C (MIL-HDBK-217)

## Ordering Information

<b>G8-BIO</b>	Biometric time clock
<b>G8-PROX</b>	Proximity time clock
<b>G8-MAG</b>	Magstripe time clock

### \*Optional Accessories

<b>G8-4G</b>	4G modem
<b>G8-BATT</b>	5hr operational backup battery

## Designed and manufactured

Midnight Technologies Pty Ltd  
1st Floor, 8 Queen Street, Nunawading  
Victoria 3131, Melbourne Australia

[www.bundyplus.com.au](http://www.bundyplus.com.au)

BundyPlus™ is a registered trade mark of  
Midnight Technologies Pty Ltd

Specifications are subject to change without  
notice.